



INLES d.d.
Kolodvorska 22
SI-1310 Ribnica
SLOVENIJA

08

EN 14351-1:2006

INO – HA

**wood /aluminium single
casement window**

build in vertical wall openings of the
buildings without resistance to fire

Air permeability	class - C5
Watertightness	class - 9A
Resistanc to wind load	class - 4
Acoustic performance R_w	$\geq 34 \text{ dB}^*$
Thermal transmittance U_w	$1,4 \text{ W/m}^2 \text{ K}^*$



INLES d.d.
Kolodvorska 22
SI-1310 Ribnica
SLOVENIJA

08

EN 14351-1:2006

INO – HA

**wood /aluminium double
casement window**

build in vertical wall openings of the
buildings without resistance to fire

Air permeability	class - C5
Watertightness	class - 7A
Resistanc to wind load	class - 4
Acoustic performance R_w	$\geq 34 \text{ dB}^*$
Thermal transmittance U_w	$1,4 \text{ W/m}^2 \text{ K}^*$



INLES d.d.
Kolodvorska 22
SI-1310 Ribnica
SLOVENIJA

08

EN 14351-1:2006

INO – HA

**wood /aluminium single
casement balkony door**

build in vertical wall openings of the
buildings without resistance to fire

Air permeability	class - C5
Watertightness	class - 7A
Resistanc to wind load	class - 3
Acoustic performance R_w	$\geq 34 \text{ dB}^*$
Thermal transmittance U_w	$1,4 \text{ W/m}^2 \text{ K}^*$

Values and classes, stated above, are referring to the lowest values and classes. The results in testings are as a rule better than these stated above.

* This value refers to the standard – glazing and conifer – wood.